Page 2 of 27

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the

application:

Listing of Claims:

1. (Currently amended) A system for minimally invasive breast lifting, comprising:

wherein one or more anchors adapted to be are fixed to a posture tissue[[,]]

above a desired nipple level[[,]];

with two or more readily adjustable suspension members suspended from the

one or more anchors each readily adjustable suspension member having a free end;

and

a cradling portion having a first end and a second end and being configured to

cradle for cradling the breast from below, said the first end and the second end of the

cradling portion being integral with and/or movably attached articulated to the free end

of a respective two or more suspension member[[s]], and having a greater width greater

than the width of each of the two or more readily adjustable suspension members.

2. (Canceled)

3. (Currently amended) [[A]] The system according to claim 1, wherein the cradling

portion is a mesh-like portion.

10/510,005

Page 3 of 27

4. (Withdrawn) A system according to claim 1, wherein the anchor is a bolt fixture or a

threaded fixture fixed to a rib or a collar bone.

5. (Withdrawn) A system according to claim 4, wherein the anchor is a self tapping

screw.

6. (Withdrawn) A system according to claim 1, wherein the anchor is a stitching to a

muscle.

7. (Withdrawn) A system according to claim 1, wherein the anchor is a clasp for clasping

a muscle.

8. (Currently amended) [[A]] The system according to claim 1, wherein the anchor is a

suspending hook bearing or clinging from a rib.

9. (Currently amended) [[A]] The system according to claim 1, wherein the suspension

member and the cradling portion are made of comprise one or more organic or

inorganic materials.

10. (Withdrawn) A system according to claim 9, wherein the suspension member and

the cradling portion are made of tendons.

11. (Canceled)

SHFARAM et al.

Serial No. 10/516,685

Page 4 of 27

12. (Currently amended) [[A]] The system according to claim 1, comprising wherein the

breast is lifted by two suspension members.

13. (Currently amended) [[A]] The system according to claim 1, wherein the one or more

anchors and the two or more suspension members are deployable in a non-operable

procedure.

14. (Currently amended) [[A]] The system according to claim 13, wherein the one or

more anchors and the two or more suspension members are deployable through stab-

incisions formed at a bottom surface of the breast.

15. (Currently amended) [[A]] The system according to claim 1, being removable at any

time.

16. (Canceled)

17. (Currently amended) [[A]] The system according to claim 12, wherein each the free

end of [[the]] each suspension member[[s]] is attached to a corresponding anchor.

18. (Currently amended) [[A]] The system according to claim 12, wherein both free ends

of the suspension members are attached to a single anchor.

SHFARAM et al.

Serial No. 10/516,685

Page 5 of 27

19. (Currently amended) [[A]] The system according to claim 1, wherein respective the

first end[[s]] and the second end of [[a]] the cradling portion are fixedly attached to

respective a free end[[s]] of a respective two separate suspension member[[s]].

20. (Withdrawn) A method for breast lifting, the method comprises the following steps:

a) forming two stab-incisions at a bottom face of the breast; b) forming two longitudinal

passages extending from said stab-incisions towards a posture tissue; c) before or after

step (b) forming a transverse passage through a bottom portion of the breast, extending

between said stab-incisions; d) threading a cradling member through the transverse

passage; e) introducing an anchor through each of the longitudinal passages, and

attaching it to the posture tissue, with a suspension member attached to each anchor

member; f) articulating ends of the cradling member to corresponding ends of the

suspension members; g) tensioning the one or both of the cradling member and the

suspension members, to thereby lift the breast; and h) fixating the relative position of

the cradling member and the suspension members.

21. (Withdrawn) A method according to claim 20, wherein after step (h) excessive ends

of the suspension members and of the cradling member are trimmed.

22. (Withdrawn) A method according to claim 20, wherein step (g) is carried out by a

clamp, clampingly arresting the cradling member and respective ends of the suspension

members.

Page 6 of 27

23. (Withdrawn) A method according to claim 20, wherein step (h) is carried out while in

an upright position.

24. (Withdrawn) A method for breast lifting, the method comprises the following steps:

a) forming two stab-incisions at a bottom face of the breast; b) forming two longitudinal

passages extending from said stab-incisions towards a posture tissue; c) before or after

step (b) forming a transverse passage through a bottom portion of the breast, extending

between said stab-incisions; d) introducing a first anchor through a first stab-incision

and a corresponding longitudinal passages, and attaching it to the posture tissue, with a

first end of a suspension member attached to the anchor member; e) extracting the

suspension member through the first stab-incision; f) yarning a second end of the

suspension member through the transverse passage, leaving a looped portion

extending from the first stab-incision; g) introducing a second anchor through the

second stab-incision and the corresponding longitudinal passages, and attaching it to

the posture tissue, with the suspension member being slidably attached to the second

anchor member; h) tensioning the suspension member so as to lift the breast; i) fixating

the relative position of the suspension member.

25. (Withdrawn) A method according to claim 23, wherein step (h) is carried out while in

an upright position.

26. (Withdrawn) A method according to claim 23, wherein after step (i) excessive end of

the suspension member is trimmed.

Page 7 of 27

27. (Withdrawn) A method according to claim 20, wherein the anchor is a bolt fixture or

a threaded fixture fixed to a rib or collar bone.

28. (Withdrawn) A method according to claim 20, wherein the posture tissue is a chest

bone or muscle.

29. (Withdrawn) A method according to claim 20, wherein the suspension member

comprises a cradling portion for cradling the breast from below, said cradling portion

being integral with or articulated to the suspension member, and having a greater width

then the suspension member.

30. (Withdrawn) A method according to claim 20, wherein the cradling portion is a

mesh-like portion.

31. (Withdrawn) A method according to claim 20, wherein the suspension member and

the cradling portion are made of organic or inorganic material.

32. (Withdrawn) A method according to claim 20, wherein the suspension member and

the cradling portion are made of tendons.

33. (Withdrawn) A method according to claim 20, wherein the suspension member and

the cradling portion are made of Gortex ®.

Page 8 of 27

34. (Withdrawn) A method according to claim 20, wherein all the respective steps are

repeated at adjacent locations within the breast, so as to support the breast by two

cradling members.

35. (Withdrawn) A surgical tool for use in a breast-lift procedure, for tensioning and

clamping cord-like cradling members and corresponding suspension members, said tool

comprising a housing fitted at a fore end with a cord receiving opening for receiving two

or more cords, a clamping mechanism for clampingly articulating the at least two cords,

and a cord trimming mechanism for trimming the cords adjacent the clamp.

36. (Withdrawn) A surgical tool according to claim 35, wherein tensioning of the cradling

member and the corresponding suspension member is facilitated by pulling their ends.

37. (Withdrawn) A surgical tool according to claim 35, wherein tensioning of the cradling

member and the corresponding suspension member is facilitated by pulling a tensioning

trigger with frictionally grasps the cradling member and the corresponding suspension

member.

38. (Withdrawn) A surgical tool according to claim 35, wherein the cord trimming

mechanism comprises a sheering member activated from a rear end of the tool.

39. (Withdrawn) A surgical tool according to claim 35, wherein the cord trimming

mechanism comprises a sheering member activated by a trigger mechanism.

Page 9 of 27

40. (Withdrawn) A surgical tool according to claim 35, wherein the clamping mechanism

comprises a plug member and a locking member, whereby the cradling member and the

corresponding suspension member pass through the locking member and clamping

occurs by locking engagement of the plug member within the locking member.

41. (Withdrawn) A surgical tool according to claim 40, wherein one or both of the plug

member and the locking member are serrated to improve locking engagement.

42. (Withdrawn) A surgical tool according to claim 40, wherein one of the locking

member and the plug member is stationary retained within the tool and the other of said

locking member and the plug member is axially displaced into locking engagement

therewith, by means of an activating trigger.

43. (Withdrawn) A surgical tool according to claim 35, being a disposable tool.

Page 10 of 27

44. (Withdrawn) A surgical tool for carrying out a breast-lift procedure according to claim

20, said tool adapted for tensioning and clamping a cord-like cradling member and a

corresponding suspension member; said tool comprising a housing fitted at a fore end

with a cord receiving opening for receiving two or more cords, a clamp deploying

mechanism for clampingly articulating the at least two cords, and a cord trimming

mechanism for trimming the cords adjacent the clamp.

45. (Withdrawn) A kit for carrying out a breast-lift procedure, the kit comprising at least

on set of suspension members, anchoring means for anchoring a suspension member

to a posture tissue, and means for tensioning and fixating the suspension member.

46. (Withdrawn) A kit according to claim 45, further comprising one or more breast-

cradling/padding members.

47. (Withdrawn) A kit according to claim 45, further comprising one or more surgical

tools to facilitate tensioning, clamping and trimming of a suspension member and a

cradling member.

48. (Withdrawn) A kit according to claim 45, further comprising a tool for fixing an

anchor to a posture tissue.

49. (New) A system for minimally invasive breast lifting, comprising:

one or more anchors adapted to be fixed to a posture tissue above a desired nipple level;

two or more readily adjustable suspension members having an anchoring end, and

a cradling end,

the two or more readily adjustable suspension members being suspended from the one or more anchors at the anchoring end and being movably attached or fixed to the one or more anchors;

a cradling portion having

a first end movably attached to and/or integral with the cradling end of one of the two or more readily adjustable suspension members, and

a second end movably attached to and/or integral with the cradling end of one of the two or more readily adjustable suspension members

the cradling portion being configured to cradle the breast from below and having a width greater than the width of each of the two or more readily adjustable suspension members. 50. (New) A system for minimally invasive breast lifting, comprising:

one or more anchors adapted to be fixed to a posture tissue above a desired nipple level;

at least one readily adjustable suspension members having

at least one an anchoring point, and

at least one a cradling point,

the at least one readily adjustable suspension members being suspended from the one or more anchors at the at least one anchoring point and being movably attached to and/or integral with the one or more anchors;

a cradling portion having

a first end movably attached to and/or integral with the at least one cradling point of one of the at least one readily adjustable suspension members, and

a second end movably attached to and/or integral with the cradling end of one of the at least one readily adjustable suspension members

the cradling portion being configured to cradle the breast from below and having a width greater than the width of each of the two or more readily adjustable suspension members.